

# Help.FileFolderOp

---

Help.FileFolderOp

## NAME

---

`File/Folder Op` is used to `copy / move / remove` a file or folder

## SYNOPSIS

---

`File/Folder Op` need next parameters or options.

## Parameter

---

### File/Folder op

- Type of operation for filesystem (File or Folder).
- Select an operation among 'copy,move,remove'
- All operation affects subfolder
- Default operation of Copy/Move is 'overwrite'
- In Copy/Move, create a new destination folder if it does not exists

### Source File/Folder

- a source file or folder
- e.g. `c:\srcfolder\srcfile.txt` (File) or `c:\srcfolder` (Folder)

### Target File/Folder

- a target file or folder [\[1\]](#)
- e.g. `c:\targetfolder\targetfile.txt, c:\newfolder\targetfile.txt` (File) or `c:\targetfolder, c:\newfolder\targetfolder` (Folder)

## Options

---

### Perserve time

- If this flag is set preserve meta information of filesystem.
- Time and mode of `Source File/Folder` are preserved.

### Preserve symlink

- If this flag is set and `Source File/Folder` is symbolic link then target preserve symlink.
- This option is not applicable at Windows system.

### Update mode

- If this flag is set, `Source File/Folder` will only be copied if `Target File/Folder` does not exist, or if `Target File/Folder` does exist but is older than `Source File/Folder`. If not set always overwrite.

---

## EXAMPLES

---

## PLATFORM

Here is the supported platform for this plugin.

- This plugin support Windows 7, 10 and above.
- This plugin support Linux (Ubuntu).
- This plugin support Mac.

---

## Version

1.430.1418

---

## Limitation

- Cannot use a wildcard character (\*, ?) as a source file/folder name

---

## SEE ALSO

---

## LICENSE

---

1. Note that if target is folder then first target folder is REMOVED. So be CAREFUL! [↪](#)