


Text Read

Need help?

Technical contact to tech@argos-labs.com



Text Read

Text Read

Author: Taiki Shimasaki



Description: This plugin write text to a file. The plugin supports files like .txt, .csv, and .log. It can handle almost all text editing file formats but some of them are NOT fully tested.

File supported:

- .txt
- .log
- Other files that can be opened as a text file (not all file formats are tested)

May you search all operations,

- [Actions](#)
- [Verifications](#)
- [System Calls](#)
- [Interactives](#)

Input (Required)

File Path: Specify the full path for the text file (.txt or .log)

The plugin fails if no file has been found as specified

Lines to Read: Select from below choice

- Read all lines
- Read the first line
- Read the last line
- Select lines

Line Selection: When you pick "Select Lines" from choices above you can specify the line number in integer.

The line number is inclusive meaning if you enter 2-5 it would output Lines 2,3,4, and 5.

Advanced Input

New Line Char: When specified the output would include the new line character.

Encode Format: Default is UTF-8

Return Value: String will be returned in String, CSV, or in File

Return Code: 0 for success



How to set parameters

The screenshot shows the configuration interface for the 'Text Read' plugin. The 'File Path' field is highlighted with a callout: 'Put full file path for the text file to read from.' The 'Reading Position' dropdown is set to 'All Lines', with a callout listing options: 'All Lines', 'First Line', 'Last Line', and 'Select Lines'. Below this, a callout states: 'Use these fields when you chose Select Lines from above. Input integer only. Lines will be read inclusively.' The 'New Line char...' dropdown is set to 'default', with a callout explaining: 'If you want the New Line character to be included in the output specify here. Default is New Line char will not be printed but the lines are fed as in the original file.' The 'Result type' dropdown is set to 'Select an option', with a callout stating: 'Return Value is string. (All for String, CSV, and File)'. The 'Return code handler' section shows 'Success code action' set to '0' and 'Proceed', and a 'Failure code action' button labeled '+ Add Items'.

Plugin: Text Read

Description: Write a comment...

Plugin version: 3.326.1730

Properties

File Path: Select file ...

Reading Position: All Lines

☐ Start Line

☐ End Line

Advanced

☐ New Line char...: default

☐ Encoding: utf-8

[Learn about return value](#)

Return value

Result type: Select an option

Return code handler

Success code action

0 Proceed

Failure code action

+ Add Items

All Plugins

- [ABBYY Download](#)
- [ABBYY Status](#)
- [ABBYY Upload](#)
- [AD LDAP](#)
- [Adv Send Email](#)
- [API Requests](#)
- [ARGOS API](#)
- [Arithmetic Op](#)
- [ASCII Converter](#)
- [Attach Image](#)
- [AWS S3](#)
- [AWS Textra Rekog](#)
- [Base64](#)
- [Basic Numerical Operations](#)

- Basic String Manipulation
- Bot Collabo
- Box
- Box II
- Chatwork GetMessage
- Chatwork Notification
- Citizen Log
- Clipboard
- Codat API
- Convert CharSet
- Convert Image
- Convert Image II
- Create Newfile
- CSV2XLSX
- Data Plot I
- DeepL Free
- Detect CharSet
- Dialog Calendar
- Dialog Error
- Dialog File Selection
- Dialog Forms
- Dialog Info
- Dialog Password
- Dialog Question
- Dialog Text Entry
- Dialog Text Info
- Dialog Warning
- DirectCloud API
- Doc2TXT
- DocDigitizer Get Doc
- DocDigitizer Tracking
- DocDigitizer Upload
- Docker Remote Service
- Drag and Drop
- Dropbox
- Dynamic Python
- Email IMAP ReadMon
- Email Read Mon
- Env Check
- Env Var
- Excel2Image
- Excel Advanced
- Excel Advance IV
- Excel AdvII
- Excel AdvIII
- Excel Copy Paste
- Excel Formula
- Excel Large Files
- Excel Macro
- Excel Newfile
- Excel Simple Read
- Excel Simple Write
- Excel Style
- Excel Update
- Fairy Devices mimi AI
- File Conv
- File Downloader
- File Folder Exists
- File Folder Op
- File Status
- Fixed Form Processing
- Floating Form Processing
- Folder Monitor
- Folder Status
- Folder Structure
- FTP Server
- Git HTML Extract
- Google Calendar
- Google Cloud Vision API
- Google Drive
- Google Search API
- Google Sheets
- Google Token
- Google Translate
- Google TTS
- GraphQL API
- Html Extract
- HTML Table
- IBM Speech to Text

- IBM Visual Recognition
- Java UI Automation
- JP Holiday
- JSON Select
- JSON to from CSV
- Lazarus Forms
- Lazarus Invoices
- Lazarus RikAI
- Lazarus Riky
- LINE ID Card OCR
- LINE Notify
- LINE Receipt OCR
- Microsoft Teams
- MongoDB
- MQTT Publisher
- MS Azure Text Analytics
- MS Word Extract
- NAVER OCR
- Newuser-SFDC
- OCI
- OCR PreProcess
- OpenAI API
- Oracle SQL
- Outlook
- Outlook Email
- PANDAS I
- pandas II
- pandas III
- PANDAS profiling
- Parsehub
- Password Generate
- Path Manipulation
- PDF2Doc
- PDF2Table
- PDF2TXT
- PDF Miner
- PDF SplitMerge
- PostgreSQL
- PowerShell
- PPTX Template
- Print 2 Image
- Python Selenium
- QR Generate
- QR Read
- RakurakuHanbai API
- Regression
- Rename File
- REST API
- Rossum
- Running GAS
- Scrapy Basic
- Screen Capture
- Screen Recording START
- Screen Recording STOP
- Screen Snipping
- Seaborn Plot
- SharePoint
- Simple Counter
- Simple SFDC
- Slack
- Sort CSV
- Speed Test
- SQL
- SQLite
- SSH Command
- SSH Copy
- String Manipulation
- String Similarity
- Svc Check
- Sys Info
- Telegram
- Tesseract
- Text2PDF
- Text2Word
- Text Read
- Text Write
- Time Diff
- Time Stamp
- Web Extract

- [Windows Op](#)
- [Windows Screen Lock](#)
- [Win UI Control](#)
- [Win UI Text](#)
- [Word2PDF](#)
- [Word2TXT](#)
- [Word Editor](#)
- [Work Calendar](#)
- [XML Extract](#)
- [XML Manipulation](#)
- [Xtracta Get Doc](#)
- [Xtracta Tracking](#)
- [Xtracta Upload](#)
- [YouTube Operation](#)
- [ZipUnzip](#)